

<b>Coating</b>	<b>Abrasion Resistance</b>	<b>Cut Resistance</b>	<b>Puncture Resistance</b>	<b>Heat Resistance</b>	<b>Flexibility</b>	<b>Ozone Resistance</b>	<b>Tear Resistance</b>	<b>Relative Cost</b>
<b>Natural Rubber</b>	Excellent	Excellent	Excellent	Fair	Excellent	Poor	Excellent	Medium
<b>Neoprene</b>	Excellent	Excellent	Good	Good	Good	Excellent	Good	Medium
<b>Chlorinated Polyethylene</b>	Excellent	Good	Good	Good	Good	Excellent	Good	Low
<b>Butyl Rubber</b>	Fair	Good	Good	Excellent	Good	Excellent	Good	High
<b>Polyvinyl Chloride (PVC)</b>	Good	Poor	Good	Poor	Fair	Excellent	Good	Low
<b>Polyvinyl Alcohol</b>	Fair	Fair	Fair	Good	Poor	Excellent	Good	Very High
<b>Polyethylene</b>	Fair	Fair	Poor	Fair	Good	Fair	Fair	Low
<b>Nitrile Rubber</b>	Excellent	Excellent	Excellent	Good	Excellent	Fair	Good	Medium
<b>Nitrile/PVC</b>	Good	Good	Good	Fair	Good	Excellent	Good	Medium
<b>Polyurethane</b>	Excellent	Good	Good	Good	Excellent	Good	Good	High
<b>Styrene-Butadiene Rubber (SBR)</b>	Excellent	Good	Fair	Good	Good	Fair	Fair	Low
<b>Viton</b>	Good	Good	Good	Good	Good	Excellent	Good	Very High