

## PUBLICATIONS

1. Substitution chemistry of MM quadruply bonded complexes (M = Mo or W) supported by the anion of 2-hydroxy-6-methylpyridine. Brown, D. J.; Chisholm, M. H.; Gribble, C. W., *Dalton Trans.*, 1793 (2007).
2. The physical and electronic structure of M<sub>2</sub> quadruply bonded complexes: a density functional theory study. Chisholm, M. H.; D'Acchioli, J. S.; Hadad, C. M., *J. Cluster Sci.*, 27 (2007).
3. Metal to metal multiple bonds in ordered assemblies. Chisholm, M. H., *Proc. Natl. Acad. Sci. U.S.A.* 2563 (2007).
4. 2,5-Dianilino-terephthalate bridged MM quadruply bonded complexes of molybdenum and tungsten. Chisholm, M. H.; Patmore, N. J., *Dalton Trans.*, 91 (2007).
5. Electronic coupling in 1,4-(COS)<sub>2</sub>C<sub>6</sub>H<sub>4</sub> linked MM quadruple bonds (M = Mo, W): the influence of S for O substitution. Chisholm, M. H.; Patmore, N. J., *Dalton Trans.*, 5088 (2006).
6. Concerning the electronic coupling of MoMo quadruple bonds linked by 4,4'-Azodibenzoate and comparison with t<sub>2</sub>g<sub>6</sub>-Ru(II) centers by 4,4'-Azodiphenylcyanamido ligands. Chisholm, M. H.; D'Acchioli, J. S.; Hadad, C. M.; Patmore, N. J., *Inorg. Chem.*, 11035 (2006).
7. Cyclic esters and cyclodepsipeptides derived from lactide and 2,5-morpholinediones. Chisholm, M. H.; Gallucci, J. C.; Yin, H., *Proc. Natl. Acad. Sci. U.S.A.*, 15315 (2006).
8. Studies of electronic coupling and mixed valency in metal-metal quadruply bonded complexes linked by dicarboxylate and closely related ligands. Chisholm, M. H.; Patmore, N. J., *Acc. Chem. Res.*, 19 (2007).
9. Alcoholysis of gauche-1,2-( $\eta$ -3-Cp)<sub>2</sub>W<sub>2</sub>(NMe<sub>2</sub>)<sub>4</sub>: structural evidence for W<sub>2</sub> bond cleavage and proton transfer to bound cyclopentadiene. Chisholm, M. H.; Gallucci, J. C.; Hollandsworth, C. B., *Inorg. Chem. Comm.*, 982 (2006).
10. Magnetic uniaxial alignment of the columnar superstructure of discotic metallomesogens over the centimeter length scale. Lee, J.; Choi, S.; Pate, B. D.; Chisholm, M. H.; Han, Y., *J. Mater. Chem.*, 2785 (2006).
11. Electronic coupling in 1,4-(COS)<sub>2</sub>C<sub>6</sub>H<sub>4</sub> linked MM quadruple bonds (M = Mo, W): the influence of S for O substitution. Chisholm, M. H.; Patmore, N. J. *Dalton Trans.*, 3164 (2006).
12. Direct observation of a 1MLCT state by ultrafast transient absorption spectroscopy in Mo<sub>2</sub>(O<sub>2</sub>C-9-anthracene)<sub>4</sub>. Burdzinski, G. T.; Ramnauth, R.; Chisholm, M. H.; Gustafson, T. L., *J. Am. Chem. Soc.*, 6776 (2006).
13. A tris-pyrazolylborate ligand with hemilabile O-donor groups. Examples of  $\eta$  3,  $\eta$  5,  $\eta$  6 and bridging modes of bonding to Li<sup>+</sup>, Na<sup>+</sup>, K<sup>+</sup>, Tl<sup>+</sup> and Ca<sup>2+</sup> ions. Chisholm, M. H.; Gallucci, J. C.; Yaman, G., *Chem. Commun. (Cambridge, U.K.)*, 1872 (2006).
14. X<sub>3</sub>M $\equiv$  MX<sub>3</sub> compounds of molybdenum and tungsten. Chisholm, M. H.; Hollandsworth, C. B., *Multiple Bonds between Metal Atoms (3rd Edition)*, 203 (2005).
15. Crystal and molecular structure of W<sub>2</sub>(OBut)<sub>6</sub> and electronic structure calculations on various conformers of W<sub>2</sub>(OMe)<sub>6</sub>. Chisholm, M. H.; Gallucci, J. C.; Hollandsworth, C. B., *Polyhedron*, 827 (2006).
16. Comments on the ring-opening polymerization of morpholine-2,5-dione derivatives by various metal catalysts and characterization of the products formed in the reactions involving R<sub>2</sub>SnX<sub>2</sub>, where X = OPri and NMe<sub>2</sub> and R = Bun, Ph and p-Me<sub>2</sub>NC<sub>6</sub>H<sub>4</sub>. Chisholm, M. H.; Galucci, J.; Kremper, C.; Wiggerhorn, C. *Dalton Trans.*, 846 (2006).

17. Unexpected formation of anti-1,2-W<sub>2</sub>(SBut)<sub>2</sub>(NMe<sub>2</sub>)<sub>4</sub> in the thiolysis of gauche-1,2-W<sub>2</sub>Cp<sub>2</sub>(NMe<sub>2</sub>)<sub>4</sub> and W<sub>2</sub>COT(NMe<sub>2</sub>)<sub>4</sub> with ButSH. Chisholm, M. H.; Gallucci, J. C.; Hollandsworth, C. B., *J. Organomet. Chem.*, 93 (2006).
18. Electronically-coupled MM quadruply-bonded complexes of molybdenum and tungsten. Chisholm, M. H.; Patmore, N. J., *Chem. Record*, 308 (2005).
19. Tetra-μ -6-methylpyridin-2-olato-ditungsten toluene sesquisolvate. Chisholm, M. H.; Gallucci, J. C.; Hollandsworth, C. B. *Acta Crystallogr., Sect. E: Struct. Rep. Online.*, m2503 (2005).
20. Electronically coupled MM quadruply-bonded complexes (M = Mo or W) employing functionalized terephthalate bridges: toward molecular rheostats and switches. Chisholm, M. H.; Feil, F.; Hadad, C. M.; Patmore, N. J., *J. Am. Chem. Soc.*, 18150 (2005).
21. Observation of 1MLCT and 3MLCT excited states in quadruply bonded Mo<sub>2</sub> and W<sub>2</sub> complexes. Byrnes, M. J.; Chisholm, M. H.; Gallucci, J. A.; Liu, Y.; Ramnauth, R.; Turro, C., *J. Amer. Chem. Soc.*, 17343 (2005).
22. New metal-organic polygons involving MM quadruple bonds: M<sub>8</sub>(O<sub>2</sub>CtBu)<sub>4</sub>(μ -SC<sub>4</sub>H<sub>2</sub>-3,4-{CO<sub>2</sub>})<sub>2</sub><sub>6</sub> (M = Mo, W). Byrnes, M. J.; Chisholm, M. H.; Patmore, N. J., *Inorg. Chem.*, 9347 (2005).
23. Oligothiophenes incorporating metal-metal quadruple bonds. Chisholm, M. H.; Epstein, A. J.; Gallucci, J. C.; Feil, F.; Pirkle, W., *Angew. Chem., Int. Ed.*, 6537 (2005).
24. Long-range electronic coupling of MM quadruple bonds (M = Mo or W) via a 2,6-Azulenedicarboxylate bridge. Barybin, M. V.; Chisholm, M. H.; Dalal, N. S.; Holovics, T. H.; Patmore, N. J.; Robinson, R. E.; Zipse, D. J. *J. Am. Chem. Soc.*, 15182 (2005).
25. Comparative study of the coordination chemistry and lactide polymerization of alkoxide and amide complexes of zinc and magnesium with a β -Diiminato ligand bearing ether substituents. Chisholm, Malcolm H.; Gallucci, Judith C.; Phomphrai, Khamphoe. *Inorg. Chem.*, 8004, (2005).
26. Linking multiple bonds between metal atoms: clusters, dimers of "dimers", and higher ordered assemblies. Chisholm, Malcolm H.; Macintosh, Ann M. *Chem. Rev. (Washington, DC, U.S.)*, 2949 (2005).
27. Interconverting WW triple bonds and W<sub>4</sub> clusters: structures of W<sub>4</sub>(OPrn)<sub>16</sub> and [Li<sub>2</sub>W<sub>2</sub>(OPrn)<sub>8</sub>(DME)]<sub>2</sub>. Chisholm, M. H.; Gallucci, J. C.; Hollandsworth, C. B. *J. Cluster Sci.*, 231 (2005).
28. Oxalate-bridged dinuclear M<sub>2</sub> Units: dimers of dimers, cyclotetramers, and extended sheets (M = Mo, W, Tc, Ru, and Rh). Bursten, B. E.; Chisholm, M. H.; D'Acchioli, J. S., *Inorg. Chem.*, 5571 (2005).
29. Arylzinc alkoxides: [ArZnOCHPri<sub>2</sub>]<sub>2</sub> and Ar<sub>2</sub>Zn<sub>3</sub>(OCHPri<sub>2</sub>)<sub>4</sub> When Ar = C<sub>6</sub>H<sub>5</sub>, p-CF<sub>3</sub>C<sub>6</sub>H<sub>4</sub>, 2,4,6-Me<sub>3</sub>C<sub>6</sub>H<sub>2</sub>, and C<sub>6</sub>F<sub>5</sub>. Chisholm, M. H.; Gallucci, J. C.; Yin, H.; Zhen, H., *Inorg. Chem.*, 4777 (2005).
30. Studies of oxalate-bridged MM quadruple bonds and their radical cations (M = Mo or W): on the matter of linkage isomers. Chisholm, M. H.; D'Acchioli, J. S.; Hadad, C. M.; Patmore, N. J., *Dalton Trans.*, 1852 (2005).
31. Cations M<sub>2</sub>(O<sub>2</sub>CtBu)<sub>4</sub><sup>+</sup>, Where M = Mo and W, and MoW(O<sub>2</sub>CtBu)<sub>4</sub><sup>+</sup>. Theoretical, spectroscopic, and structural investigations. Chisholm, M. H.; D'Acchioli, J. S.; Pate, B. D.; Patmore, N. J.; Dalal, N. S.; Zipse, D., *J. Inorg. Chem.*, 1061 (2005).

32. Concerning the relative importance of enantiomeric site vs. chain end control in the stereoselective polymerization of lactides: reactions of (R,R-salen)- and (S,S-salen)-aluminium alkoxides LAIOCH<sub>2</sub>R complexes (R = CH<sub>3</sub> and S-CHMeCl). Chisholm, M. H.; Patmore, N. J.; Zhou, Z., Chem. Commun. (Cambridge, United Kingdom), 127 (2005).
33. Binding of propylene oxide to porphyrin- and salen-M(III) cations, where M = Al, Ga, Cr, and Co. Chen, P.; Chisholm, M. H.; Gallucci, J. C.; Zhang, X.; Zhou, Z., Inorg. Chem., 2588 (2005).